

## CDF District 2

### CDF BUILDING RATING SHEET

Site Name: Baker Forest Fire Station Building: Combination Barracks  
 Ranger Unit: Tehama-Glenn Evaluator: Mark V. Thornton  
 County: Tehama Date: November 1994  
 Quad: Mitchell Gulch 1965 (revised 1976) Elevation: 620 feet  
 Legal: located in the SE 1/4 of Section 13 Township 28 North Range 6 West MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CDF/contract  
 Architect: probably a Butler Manufacturing Company design Plan No.: unknown  
 Building type: standardized military building Infrastructure type: metal frame

	POINTS
1. Integrity/Building Design:	1 <u>-10</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>2</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDF & WW2	9 <u>10</u>
10. Surviving Number (rarity): 3	10 <u>3</u>
11. Date of Construction: 1948	11 <u>3</u>
Total:	T <u>10</u>

**Comments:**

There are six stations in the CDF property inventory that have what the S-5 Forms designated as a "military surplus building." Seven buildings exist, all of which are 20 feet wide and vary from 48 feet to 88 feet in length. Three of them served as combination barracks, two others included a truck garage at one end. One site has a separate barracks and messhall. The buildings have also been identified as "Army surplus." They are believed to have been supplied to the Army during World War Two for temporary camp sites. These are rectangular, gable roof "bolt together" buildings which originally had both steel framing and metal cladding. The building at this site serves as a combination barracks. A few years ago it was extensively remodeled with new wood siding and roofing installed over the original building. A wood frame cross wing was also added. All the original windows and doors have been replaced.

### CDF BUILDING RATING SHEET

Site Name: Cohasset Forest Fire Station Building: Combination Barracks  
 Ranger Unit: Butte Evaluator: Mark V. Thornton  
 County: Butte Date: November 1994  
 Quad: Cohasset 1979 Elevation: 2,400 feet  
 Legal: located in the SW 1/4 of Section 26 Township 24 North Range 2 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA  
 Architect: U.S. Forest Service - CCC construction program Plan No.: USFS "D-10" planning series  
 Building type: Combination Barracks Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-5</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building: small basement area	4 <u>1</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>2</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDF & WPA	9 <u>10</u>
10. Surviving Number (rarity): 7	10 <u>0</u>
11. Date of Construction: 1937	11 <u>10</u>
Total:	T <u>20</u>

**Comments:**

The USFS-CCC "D-10" design was a common choice for both CDF and Forest Service suppression station sites. The subject building is one of seven D-10s left in the CDF building collection that date from the CCC era. The building plan was used after this era, as testified by the 1946 combination barracks at the Coulterville Forest Fire Station. The Cohasset combination barracks was remodeled circa 1963 (reference CDF Plan 222). The entry porch screens have been replaced with glass windows and the space converted to an office. The lapboard siding may date to the original construction as this was an approved alternate to the more common "v" rustic siding. In later years, a small addition was constructed on the northeast end to serve as a utility room. An uncommon feature is the small partially finished basement with external access on the northern side of the building (the building is upon a gently northern aspect slope). Overall, the building and setting retain a good degree of historic character and the compound is considered an important cultural resource.

### CDF BUILDING RATING SHEET

Site Name: Deadwood Adult Conservation Camp Building: Hobby Shop/Weight Rooms  
 Ranger Unit: Siskiyou Evaluator: Mark V. Thornton  
 County: Siskiyou Date: November 1994  
 Quad: Indian Creek Baldy 1984 Elevation: 3,090 feet  
 Legal: located in the SE 1/4 of Section 12 Township 44 North Range 9 West MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CDF/CDC  
 Architect: probably a Butler Manufacturing Company design Plan No.: unknown  
 Building type: standardized military building Infrastructure type: metal frame

	POINTS
1. Integrity/Building Design:	1 <u>-10</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>-2</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>0</u>
7. Aesthetics/Natural Setting:	7 <u>2</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDC & WW2	9 <u>10</u>
10. Surviving Number (rarity): see below	10 <u>0</u>
11. Date of Construction: c. 1966	11 <u>0</u>
Total:	T <u>0</u>

**Comments:**

The OSA list assigns a 1940 date to this building. The Deadwood Conservation Camp wasn't established until the mid-1960s. The subject building could be the salvaged remnant of a former CDF fire station military surplus building. Nearly three dozen locations in the CDF property inventory once had a military surplus building. As those buildings were replaced, some of the materials may have been salvaged and stockpiled for use later. However, it's not been verified that this building is composed of World War Two materials. Furthermore, the Deadwood building differs somewhat from known World War Two surplus buildings. It's also been reported that the subject building is composed of two smaller units. Hobby shop #1 (20' x 14') and hobby shop #2 (20' x 26') according to this scenario were "pushed together" to form the a single weight lifting building located here today. The date of the "merger" is 1977 (reference CDF Plan 1046 2A). The building is not considered an historically significant building.

### CDF BUILDING RATING SHEET

Site Name: Fawn Lodge Forest Fire Station Building: Guest House  
 Ranger Unit: Shasta-Trinity Evaluator: Mark V. Thornton  
 County: Trinity Date: November 1994  
 Quad: Lewiston 1982 Elevation: 2,070 feet  
 Legal: located in the NE 1/4 of Section 36 Township 33 North Range 9 West MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA  
 Architect: U.S. Forest Service - CCC construction program Plan No.: USFS "E" series plans (?)  
 Building type: CCC Office Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>0</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>-2</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>0</u>
7. Aesthetics/Natural Setting:	7 <u>2</u>
8. Special Features, Site:	8 <u>1</u>
9. Association: CDF & CCC	9 <u>10</u>
10. Surviving Number (rarity): 1	10 <u>5</u>
11. Date of Construction: 1935	11 <u>10</u>
Total:	T <u>26</u>

**Comments:**

This site originally served as a Civilian Conservation Corps camp. The building was identified as a camp paymaster office in older property records. It has also been referred to as a "Guest House" in CDF property records. The building is similar to the USFS-CCC "E" and "F" working plan series and no doubt is based on one of these CCC era designs. This is the only building in the CDF building collection to have this type of footprint. Vintage photographs confirm the building has changed relatively little over the years. The compound is located in a sparsely settled area. Grass Valley Creek borders the compound on the south and access to the station is via a steel bridge.

# CDF BUILDING RATING SHEET

Site Name: Fawn Lodge Forest Fire Station Building: Kitchen/Messhall  
 Ranger Unit: Shasta-Trinity Evaluator: Mark V. Thornton  
 County: Trinity Date: November 1994  
 Quad: Lewiston 1982 Elevation: 2,070 feet  
 Legal: located in the NE 1/4 of Section 36 Township 33 North Range 9 West MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA  
 Architect: USFS - CCC construction program, revisions: CDF Plan No.: USFS "D" series variation  
 Building type: Kitchen/Messhall/Cook's Quarters Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-5</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>-2</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>0</u>
7. Aesthetics/Natural Setting:	7 <u>2</u>
8. Special Features, Site:	8 <u>1</u>
9. Association: CDF & CCC	9 <u>10</u>
10. Surviving Number (rarity): 5	10 <u>1</u>
11. Date of Construction: 1935	11 <u>10</u>
Total:	T <u>17</u>

## Comments:

The building is similar in overall dimensions to five other combination kitchen and messhall buildings in the CDF building collection that date from the CCC era. The building was extensively remodeled in the 1960s which has altered its historic architectural appearance.

### CDF BUILDING RATING SHEET

Site Name: Happy Camp Forest Fire Station Building: Barracks  
 Ranger Unit: Lassen-Modoc Evaluator: Mark V. Thornton  
 County: Modoc Date: November 1994  
 Quad: Crank Mountain 1990 Elevation: 4,780 feet  
 Legal: located in the SE 1/4 of Section 27 Township 42 North Range 7 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA; remod CDF/cont.  
 Architect: USFS - CCC construction program, reconstruction: CDF Plan No.: unknown  
 Building type: Warehouse-Barracks Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-10</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>-2</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>0</u>
7. Aesthetics/Natural Setting:	7 <u>2</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: USFS & CCC	9 <u>10</u>
10. Surviving Number (rarity): see below	10 <u>0</u>
11. Date of Construction: 1934	11 <u>10</u>
Total:	T <u>10</u>

**Comments:**

According to the Modoc National Forest Archaeological Survey Report ASR 05-09-641 "Happy Camp Guard Station Building Assessment" April 1990, the subject building began life as a CCC era warehouse. The report adds that sometime between 1943 and 1957 the Forest Service converted the building to a barracks. CDF began leasing the site in 1978. After the Forest Service historic significance assessment of the building was completed, CDF was given approval to remodel or remove any of the buildings at this site. The old warehouse-barracks was reduced to "studs and slab" and reconstructed. It is not given a rarity score, nor tabulated with similar building types because of this total loss of historic architectural integrity.

### CDF BUILDING RATING SHEET

Site Name: Happy Camp Forest Fire Station Building: Kitchen/Messhall  
 Ranger Unit: Lassen-Modoc Evaluator: Mark V. Thornton  
 County: Modoc Date: November 1994  
 Quad: Crank Mountain 1990 Elevation: 4,780 feet  
 Legal: located in the SE 1/4 of Section 27 Township 42 North Range 7 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA  
 Architect: USFS - CCC construction program, revisions: USFS Plan No.: USFS "E" series  
 Building type: Office-Kitchen/Messhall Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-5</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>-2</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>0</u>
7. Aesthetics/Natural Setting:	7 <u>2</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: USFS & CCC	9 <u>10</u>
10. Surviving Number (rarity): 1	10 <u>5</u>
11. Date of Construction: 1934	11 <u>10</u>
Total:	T <u>20</u>

**Comments:**

According to the Modoc National Forest Archaeological Survey Report ASR 05-09-641 "Happy Camp Guard Station Building Assessment" April 1990, the subject building was originally constructed to serve as an office. It was later converted to a combination kitchen and messhall with a small addition (7' x 13') being constructed on the west gable end. The front entry was also slightly reconfigured. The building still retains much of its historic character. It presently serves as a storage building, with the CDF having erected a new combination kitchen and messhall near the barracks. This is the only 15' x 31' CCC era building in the CDF building collection. It somewhat resembles the one room USFS "F-101" office plan. The building is considered an important cultural resource.



### CDF BUILDING RATING SHEET

Site Name: Hillcrest Forest Fire Station Building: Combination Barracks/Office  
 Ranger Unit: Shasta-Trinity Evaluator: Mark V. Thornton  
 County: Shasta Date: November 1994  
 Quad: Montgomery Creek 1990 Elevation: 3,360 feet  
 Legal: located in the SE 1/4 Section 20 & the NE 1/4 Section 29 Township 35 North Range 1 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA; remod CDF/cont.  
 Architect: USFS - CCC construction program, revisions: CDF Plan No.: USFS "D-10" planning series  
 Building type: Combination Barracks Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-10</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>2</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDF & CCC	9 <u>10</u>
10. Surviving Number (rarity): 7	10 <u>0</u>
11. Date of Construction: 1936	11 <u>10</u>
Total:	T <u>14</u>

**Comments:**

The USFS-CCC "D-10" building design was a popular floor plan during the CCC construction era for both the California Division of Forestry and the United States Forest Service. The subject building was remodeled and enlarged in 1964. Additional changes have further reduced its historic architectural integrity.

### CDF BUILDING RATING SHEET

Site Name: Hillcrest Forest Fire Station Building: 5-Bay Garage  
 Ranger Unit: Shasta-Trinity Evaluator: Mark V. Thornton  
 County: Shasta Date: November 1994  
 Quad: Montgomery Creek 1990 Elevation: 3,360 feet  
 Legal: located in the SE 1/4 Section 20 & the NE 1/4 Section 29 Township 35 North Range 1 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA  
 Architect: U.S. Forest Service - CCC construction program Plan No.: USFS "L" series plans  
 Building type: 5-Bay Truck Garage Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-5</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>2</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDF & CCC	9 <u>10</u>
10. Surviving Number (rarity): 3	10 <u>3</u>
11. Date of Construction: 1936	11 <u>10</u>
Total:	T <u>22</u>

**Comments:**

Only three 27' x 60' five bay truck garages still exist in the CDF building collection that predate 1945. The subject building was covered in asbestos cement tiles in 1965. The doors have been replaced but the building still retains a good degree of its identity as a Blanchard & Maher design. The overall setting has changed relatively little (from development but the area around the compound was severely impacted by the Fountain Fire). This is the only garage of this type to be located at a forest fire station (the other two are at ranger unit headquarters compounds).

# CDF BUILDING RATING SHEET

Site Name: Jarbo Gap Forest Fire Station Building: Barracks/Office  
 Ranger Unit: Butte Evaluator: Mark V. Thornton  
 County: Butte Date: November 1994  
 Quad: Berry Creek 1970 Elevation: 2,360 feet  
 Legal: located in the NW 1/4 of Section 26 Township 22 North Range 4 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA  
 Architect: U.S. Forest Service - CCC construction program Plan No.: USFS "D-10-A" series  
 Building type: Combination Barracks Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-10</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building: small basement area	4 <u>1</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>0</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDF & WPA	9 <u>10</u>
10. Surviving Number (rarity): 7	10 <u>0</u>
11. Date of Construction: 1937	11 <u>11</u>
Total:	T <u>14</u>

## Comments:

A special plan was drafted for this building presumably because of its being constructed on the side of a steep hillside. Other USFS-CCC D-10s were generally located on a level site. The difference between this and other "D-10" types is that the entry porch has been switched to the bay side of the building (opposite gable side wall). Another uncommon feature is a small lower level basement with external access which underlies a portion of the northern side of the building. The combination barracks was "reconstructed" in 1980 (reference CDF Plan 1606-7A). Siding, windows, and other cosmetic alteration have occurred; the entry porch was converted to office space. The building still retains a general appearance to its historic architectural design.

### CDF BUILDING RATING SHEET

Site Name: Macdoel Forest Fire Station Building: Barracks  
 Ranger Unit: Siskiyou Evaluator: Mark V. Thornton  
 County: Siskiyou Date: November 1994  
 Quad: Macdoel 1985 Elevation: 4,250 feet  
 Legal: located in the S 1/2 of Section 17 Township 46 North Range 1 West MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CDF/contract  
 Architect: probably based on State Division of Architect Plan No.: unknown  
 Building type: Barracks Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-5</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>0</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDF	9 <u>5</u>
10. Surviving Number (rarity): 3	10 <u>3</u>
11. Date of Construction: 1943	11 <u>7</u>
Total:	T <u>12</u>

**Comments:**

There are three 20' x 40' barracks in the CDF building collection that were constructed during the war years after the close of the ECW programs. The Macdoel barracks has been remodeled with newer styled windows, siding, and roofing. Its footprint is basically intact but the changes have alter its historic appearance.

### CDF BUILDING RATING SHEET

Site Name: Macdoel Forest Fire Station Building: Kitchen/Messhall  
 Ranger Unit: Siskiyou Evaluator: Mark V. Thornton  
 County: Siskiyou Date: November 1994  
 Quad: Macdoel 1985 Elevation: 4,250 feet  
 Legal: located in the S 1/2 of Section 17 Township 46 North Range 1 West MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CDF/contract  
 Architect: probably based on State Division of Architect Plan No.: unknown  
 Building type: Kitchen/Messhall/Cook's Quarters Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-5</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>0</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDF	9 <u>5</u>
10. Surviving Number (rarity): 3	10 <u>3</u>
11. Date of Construction: 1943	11 <u>7</u>
Total:	T <u>12</u>

**Comments:**

This is one of three similar combination kitchen and messhall buildings in the CDF building collection that were constructed during the war years after the close of the ECW programs. The Macdoel building has been remodeled with newer styled windows, siding, and roofing.

### CDF BUILDING RATING SHEET

Site Name: Macdoel Forest Fire Station Building: Well Pump House  
 Ranger Unit: Siskiyou Evaluator: Mark V. Thornton  
 County: Siskiyou Date: November 1994  
 Quad: Macdoel 1985 Elevation: 4,250 feet  
 Legal: located in the S 1/2 of Section 17 Township 46 North Range 1 West MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CDF/contract  
 Architect: probably based on State Division of Architect Plan No.: unknown  
 Building type: Well Pump House Infrastructure type: brick

	POINTS
1. Integrity/Building Design:	1 <u>0</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>0</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDF	9 <u>5</u>
10. Surviving Number (rarity): 1	10 <u>5</u>
11. Date of Construction: 1944	11 <u>7</u>
Total:	T <u>19</u>

**Comments:**

Brick buildings became very popular for use in the CDF system during the late 1940s through the early 1960s. The subject building is a rare example of this building material being used prior to 1948. The Macdoel compound, as a whole, is considered an important cultural resource.

### CDF BUILDING RATING SHEET

Site Name: Macdoel Forest Fire Station Building: Gas & Oil House  
 Ranger Unit: Siskiyou Evaluator: Mark V. Thornton  
 County: Siskiyou Date: November 1994  
 Quad: Macdoel 1985 Elevation: 4,250 feet  
 Legal: located in the S 1/2 of Section 17 Township 46 North Range 1 West MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: reconstruction: CDF/contract  
 Architect: probably based on USFS/CCC era plans Plan No.: unknown  
 Building type: Walk-in Cooler Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-10</u>
2. Integrity/Building Location:	2 <u>-10</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>0</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDF & CCC	9 <u>10</u>
10. Surviving Number (rarity): see below	10 <u>0</u>
11. Date of Construction: 1938	11 <u>10</u>
Total:	T <u>2</u>

**Comments:**

The S-5 Form for this site reports that the gas and oil house was originally a walk-in cooler located at the Yreka Ranger Unit Headquarters. The building was relocated to the Macdoel site circa 1953. The building as it appears today does not conform to the standard walk-in cooler designs seen elsewhere in the CDF building collection. It may be that the old Yreka cooler was disassembled and reconstructed along the lines of the standard gas and oil house designs used during the CCC era. The building has been remodeled since its relocation. It has not been assigned a rarity score.

# CDF BUILDING RATING SHEET

Site Name: Manton Forest Fire Station Building: Combination Barracks  
 Ranger Unit: Tehama-Glenn Evaluator: Mark V. Thornton  
 County: Tehama Date: November 1994  
 Quad: Manton 1985 Elevation: 2,960 feet  
 Legal: located in the NW 1/4 of Section 30 Township 30 North Range 2 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CDF/contract  
 Architect: probably a Butler Manufacturing Company design Plan No.: unknown  
 Building type: standardized military building Infrastructure type: metal frame

	POINTS
1. Integrity/Building Design:	1 <u>-2</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>2</u>
8. Special Features, Site: extensive rock retaining walls, domestic water ditch	8 <u>2</u>
9. Association: CDF & WW2	9 <u>10</u>
10. Surviving Number (rarity): 3	10 <u>3</u>
11. Date of Construction: 1949	11 <u>3</u>
Total:	T <u>20</u>

## Comments:

There are six stations in the CDF property inventory that have what the S-5 Forms designated as a "military surplus building." Seven buildings exist, all of which are 20 feet wide and vary from 48 feet to 88 feet in length. Three of them served as combination barracks, two others included a truck garage at one end. One site has a separate barracks and messhall. The buildings have also been identified as "Army surplus." They are believed to have been supplied to the Army during World War Two for temporary camp sites. These are rectangular, gable roof "bolt together" buildings which originally had both steel framing and metal cladding. The building at this site serves as a combination barracks and has the highest historic architectural integrity of the group. Both the building and the site retain much of their historic character. This is one of only two forest fire stations included in this report that are located off paved roads. An open water ditch bounds the compound on the southeast.



### CDF BUILDING RATING SHEET

Site Name: Oroville Ranger Unit Headquarters Building: South Shop  
 Ranger Unit: Butte Evaluator: Mark V. Thornton  
 County: Butte Date: November 1994  
 Quad: Oroville 1970 Elevation: 280 feet  
 Legal: located in the NW 1/4 of Section 7 Township 19 North Range 4 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA; remod CDF/cont.  
 Architect: USFS - CCC construction program, revisions: CDF Plan No.: USFS "N" series  
 Building type: 5-Bay Truck Garage with storeroom Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-10</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>-4</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>-2</u>
7. Aesthetics/Natural Setting:	7 <u>-3</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDF & CCC	9 <u>10</u>
10. Surviving Number (rarity): see below	10 <u>0</u>
11. Date of Construction: 1937	11 <u>10</u>
Total:	T <u>1</u>

**Comments:**

This is the only 32' x 77' CCC era equipment garage in the CDF building collection. The building was remodeled circa 1954 into a combination six stall garage and one bay office. It probably was originally a 32' x 65' five bay truck garage. Only one other 32' x 65' five bay truck garage has survived to today. The Oroville building is not counted in the rarity score because of its severe loss of historic architectural integrity. In addition to the 1954 revisions, the building was subsequently remodeled. Vehicle stall entries have been reconfigured, other fenestration altered, and asbestos cement tiles installed on the exterior walls. The S-5 Form for this site lists a 1937 construction date for this building, other property records give the year 1940.

# CDF BUILDING RATING SHEET

Site Name: Oroville Ranger Unit Headquarters Building: Radio Shop/Office/Truck Garage  
 Ranger Unit: Butte Evaluator: Mark V. Thornton  
 County: Butte Date: November 1994  
 Quad: Oroville 1970 Elevation: 280 feet  
 Legal: located in the NW 1/4 of Section 7 Township 19 North Range 4 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA; remod CDF/cont.  
 Architect: USFS - CCC construction program, revisions: CDF Plan No.: USFS "N" series  
 Building type: 6-Bay Truck Garage with storeroom Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-10</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>-4</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>-2</u>
7. Aesthetics/Natural Setting:	7 <u>-3</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDF & CCC	9 <u>10</u>
10. Surviving Number (rarity): see below	10 <u>0</u>
11. Date of Construction: 1940	11 <u>10</u>
Total:	T <u>1</u>

## Comments:

This is the second largest truck garage that was recorded for this report. The building, however, is believed to have been originally a six bay truck garage with a storeroom at one end (historic photographs, S-5 inventory collection). The building was remodeled circa 1954 with additions apparently constructed on both gable ends. The building was extensively remodeled again in the 1960s. Circa 1970 another addition was constructed, gable side, at the south end of the west elevation. The building has undergone subsequent remodeling. Because of its severe loss of historic architectural integrity the building is not given a rarity score.

### CDF BUILDING RATING SHEET

Site Name: Paradise Forest Fire Station Building: Combination Barracks  
 Ranger Unit: Butte Evaluator: Mark V. Thornton  
 County: Butte Date: November 1994  
 Quad: Paradise East 1980 Elevation: 2,130 feet  
 Legal: located in the SW 1/4 of Section 1 Township 22 North Range 3 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA; CDF/CDC  
 Architect: USFS - CCC construction program, revisions: CDF Plan No.: USFS "D" series  
 Building type: Combination Barracks Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-10</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>-2</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>0</u>
7. Aesthetics/Natural Setting:	7 <u>0</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CCC & CDF	9 <u>10</u>
10. Surviving Number (rarity): 7	10 <u>0</u>
11. Date of Construction: 1934	11 <u>10</u>
Total:	T <u>8</u>

**Comments:**

The original barracks was a 25' x 40' building. The S-5 Form for this site reports that the California Department of Corrections constructed a north wing circa 1950. The building has had further revisions since then. It is considered a potentially important cultural resource on a local level.

# CDF BUILDING RATING SHEET

Site Name: Paradise Forest Fire Station Building: Recreation Room/Tool Room  
 Ranger Unit: Butte Evaluator: Mark V. Thornton  
 County: Butte Date: November 1994  
 Quad: Paradise East 1980 Elevation: 2,130 feet  
 Legal: located in the SW 1/4 of Section 1 Township 22 North Range 3 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA; remod CDF/cont.  
 Architect: U.S. Forest Service - CCC construction program Plan No.: USFS "J" series variation  
 Building type: 2-Bay Truck Garage Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-10</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>0</u>
7. Aesthetics/Natural Setting:	7 <u>0</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDF & CCC	9 <u>10</u>
10. Surviving Number (rarity): see below	10 <u>0</u>
11. Date of Construction: 1934	11 <u>10</u>
Total:	T <u>10</u>

## Comments:

This is the only 20' x 20' truck garage dating from the CCC era that is in the CDF building collection. There are, however, a couple of residence garages that appear to be based on a similar design. The subject building was converted to a combination warehouse and tool room in the early 1950s. A new truck garage had been constructed nearby at this time. In the 1960s, the warehouse portion was refinished into a recreation room, and the building generally remodeled. Because of these alterations the building is not given a rarity score.

### CDF BUILDING RATING SHEET

Site Name: Red Bluff Ranger Unit Headquarters Building: Kitchen/Messhall  
 Ranger Unit: Tehama-Glenn Evaluator: Mark V. Thornton  
 County: Tehama Date: November 1994  
 Quad: Red Bluff East 1951 (revised 1969) Elevation: 265 feet  
 Legal: located in the SE 1/4 of Section 16 Township 27 North Range 3 West MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA; remod CDF/cont.  
 Architect: USFS - CCC construction program, revisions: CDF Plan No.: USFS "D" series variation  
 Building type: Kitchen/Messhall Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-10</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>-4</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>-2</u>
7. Aesthetics/Natural Setting:	7 <u>-3</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDF & CCC	9 <u>10</u>
10. Surviving Number (rarity): 5	10 <u>1</u>
11. Date of Construction: 1934	11 <u>10</u>
Total:	T <u>2</u>

**Comments:**

The original 25' x 41' combination kitchen and messhall was completely remodeled and enlarged in the early 1960s. A 12' x 18' north wing cook's quarters addition was added. The building has been subsequently remodeled and has been connected to the neighboring walk-in cooler. There are five combination kitchen-messhall buildings in the CDF collection that date from the CCC era. These buildings were probably based on a variation of one of the USFS-CCC "D" series working plans.

### CDF BUILDING RATING SHEET

Site Name: Red Bluff Ranger Unit Headquarters Building: Well Pump House  
 Ranger Unit: Tehama-Glenn Evaluator: Mark V. Thornton  
 County: Tehama Date: November 1994  
 Quad: Red Bluff East 1951 (revised 1969) Elevation: 265 feet  
 Legal: located in the SE 1/4 of Section 16 Township 27 North Range 3 West MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CDF/contract  
 Architect: probably based on a USFS/CCC working plan Plan No.: USFS "W" series  
 Building type: Well Pump House Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-10</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>-4</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>-2</u>
7. Aesthetics/Natural Setting:	7 <u>-3</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDF	9 <u>5</u>
10. Surviving Number (rarity): see below	10 <u>0</u>
11. Date of Construction: 1943	11 <u>7</u>
Total:	T <u>-7</u>

**Comments:**

The building has been remodeled since its original construction. It is not given a rarity score because of the alterations and its status as an ancillary building.

### CDF BUILDING RATING SHEET

Site Name: Red Bluff Ranger Unit Headquarters Building: Walk-in Cooler  
 Ranger Unit: Tehama-Glenn Evaluator: Mark V. Thornton  
 County: Tehama Date: November 1994  
 Quad: Red Bluff East 1951 (revised 1969) Elevation: 265 feet  
 Legal: located in the SE 1/4 of Section 16 Township 27 North Range 3 West MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CDF/contract  
 Architect: probably based on USFS/CCC working plans Plan No.: unknown  
 Building type: Walk-in Cooler Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-5</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>-4</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>-2</u>
7. Aesthetics/Natural Setting:	7 <u>-3</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDF	9 <u>5</u>
10. Surviving Number (rarity): 2	10 <u>4</u>
11. Date of Construction: 1944	11 <u>7</u>
Total:	T <u>2</u>

**Comments:**

There are only two walk-in coolers in the CDF building collection that predate 1945. There are post-1945 walk-in coolers that have the same 18' x 20' footprint. The Red Bluff cooler was remodeled at the time that the associated combination kitchen and messhall was enlarged. The two buildings have been connected. Although the building has lost a good degree of its external character the original refrigerator door and cooler box is to be found within. It is considered an important cultural resource.

# CDF BUILDING RATING SHEET

Site Name: Stirling City Forest Fire Station Building: Office  
 Ranger Unit: Butte Evaluator: Mark V. Thornton  
 County: Butte Date: November 1994  
 Quad: Stirling City 1979 Elevation: 3,520 feet  
 Legal: located in the SE 1/4 of Section 28 Township 24 North Range 4 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA  
 Architect: U.S. Forest Service - CCC construction program Plan No.: USFS "E-10" plans  
 Building type: Office Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-2</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>1</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>0</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: USFS & CCC	9 <u>10</u>
10. Surviving Number (rarity): 1	10 <u>5</u>
11. Date of Construction: 1937	11 <u>10</u>
Total:	T <u>26</u>

## Comments:

This is the only example of a USFS-CCC "E-10" office design in today's CDF building collection. The office has a high degree of historic architectural integrity and would make a good candidate for the National Register of Historic Places. Both the fire station compound and the surrounding neighborhood still retain much of their historic ambience. The Stirling City site was originally a joint U.S. Forest Service-Butte County Ranger Station. CDF entered into a lease of this property in 1947.



### CDF BUILDING RATING SHEET

Site Name: Stirling City Forest Fire Station Building: Ranger's Residence  
 Ranger Unit: Butte Evaluator: Mark V. Thornton  
 County: Butte Date: November 1994  
 Quad: Stirling City 1979 Elevation: 3,520 feet  
 Legal: located in the SE 1/4 of Section 28 Township 24 North Range 4 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA  
 Architect: U.S. Forest Service - CCC construction program Plan No.: USFS "A-5" series  
 Building type: Ranger's Residence Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>0</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building: basement, two brick chimneys	4 <u>3</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>0</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: USFS & CCC	9 <u>10</u>
10. Surviving Number (rarity): 1	10 <u>5</u>
11. Date of Construction: 1937	11 <u>10</u>
Total:	T <u>30</u>

**Comments:**

Although this house is based on a USFS-CCC "standardized plan" there are no other examples of this design type in the CDF building collection. A cursory check with the Forest Service disclosed no known "A-5" houses in their system. The building has weathered the years fairly intact and retains a remarkably high degree of historic architectural integrity. The property would be an excellent candidate to the National Register of Historic Places. This site was originally a joint Butte County-U.S. Forest Service Ranger Station.

# CDF BUILDING RATING SHEET

Site Name: Stirling City Forest Fire Station Building: Residence Garage  
 Ranger Unit: Butte Evaluator: Mark V. Thornton  
 County: Butte Date: November 1994  
 Quad: Stirling City 1979 Elevation: 3,520 feet  
 Legal: located in the SE 1/4 of Section 28 Township 24 North Range 4 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA  
 Architect: U.S. Forest Service - CCC construction program Plan No.: USFS "J-11" series  
 Building type: 2-Bay Residence Garage with Storage Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>0</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>0</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CCC & USFS	9 <u>10</u>
10. Surviving Number (rarity): 1	10 <u>5</u>
11. Date of Construction: 1937	11 <u>10</u>
Total:	T <u>27</u>

## Comments:

The floor plan for the USFS-CCC "J-11" specifies two vehicle stalls centered between matching storage rooms, such as what is found here. The storerooms were used to house tools and/or stove wood for the associated residences and office. This is the last surviving example of a "J-11" garage in the CDF building collection. A shed roof wood shelter attached to the rear of the building is the only major alteration to have taken place since this building's original construction. The addition is unobtrusive and is not considered a deleterious impact. The assistant ranger's residence has been removed but the ranger's residence is intact.

### CDF BUILDING RATING SHEET

Site Name: Stirling City Forest Fire Station Building: Warehouse/Garage  
 Ranger Unit: Butte Evaluator: Mark V. Thornton  
 County: Butte Date: November 1994  
 Quad: Stirling City 1979 Elevation: 3,520 feet  
 Legal: located in the SE 1/4 of Section 28 Township 24 North Range 4 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA  
 Architect: U.S. Forest Service - CCC construction program Plan No.: USFS "N-24" planning series  
 Building type: Warehouse Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-2</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>0</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: USFS & CCC	9 <u>10</u>
10. Surviving Number (rarity): 1	10 <u>5</u>
11. Date of Construction: 1937	11 <u>10</u>
Total:	T <u>25</u>

**Comments:**

The building is based on the CCC "N-24" warehouse design. It has a very ornate and complex fenestration with a variety of large, divided light windows on three elevations. Vehicle stall entries evidence minimal change and, overall, the building retains most of its historic architectural integrity.

### CDF BUILDING RATING SHEET

Site Name: Stirling City Forest Fire Station Building: Combination Barracks  
 Ranger Unit: Butte Evaluator: Mark V. Thornton  
 County: Butte Date: November 1994  
 Quad: Stirling City 1979 Elevation: 3,520 feet  
 Legal: located in the SE 1/4 of Section 28 Township 24 North Range 4 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA; remod CDF/cont.  
 Architect: U.S. Forest Service - CCC construction program Plan No.: USFS "D" planning series  
 Building type: Combination Barracks Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-5</u>
2. Integrity/Building Location:	2 <u>-5</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>0</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: USFS & CDF	9 <u>10</u>
10. Surviving Number (rarity): see below	10 <u>0</u>
11. Date of Construction: 1938	11 <u>10</u>
Total:	T <u>12</u>

**Comments:**

According to the S-5 Form for this site (April 1954) the original barracks was moved to this location by the U.S. Forest Service in 1938. The S-5 further reports that CDF enlarged the facility in 1949. The south wing constitutes the original barracks and roughly fits a 24' x 50' building footprint. There are at least six other sites in the CDF property inventory that appear to have the same general type of barracks design. Since the 1949 addition the building has undergone additional remodeling. The combination barracks is located on a separate parcel, being across the street from the other Stirling City Forest Fire Station buildings. It is considered an important contributor to the adjoining historic resources.

### CDF BUILDING RATING SHEET

Site Name: Stirling City Forest Fire Station Building: Storage Shed  
 Ranger Unit: Butte Evaluator: Mark V. Thornton  
 County: Butte Date: November 1994  
 Quad: Stirling City 1979 Elevation: 3,520 feet  
 Legal: located in the SE 1/4 of Section 28 Township 24 North Range 4 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA  
 Architect: probably based on a USFS/CCC working plan design Plan No.: unknown  
 Building type: Storage Shed Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-2</u>
2. Integrity/Building Location:	2 <u>-5</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>0</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: USFS & CCC	9 <u>10</u>
10. Surviving Number (rarity): see below	10 <u>0</u>
11. Date of Construction: 1938	11 <u>10</u>
Total:	T <u>15</u>

**Comments:**

This outbuilding does not have a permanent foundation. Generic ancillary buildings are not scored for rarity.

### CDF BUILDING RATING SHEET

Site Name: Stirling City Forest Fire Station Building: Storage Shed  
 Ranger Unit: Butte Evaluator: Mark V. Thornton  
 County: Butte Date: November 1994  
 Quad: Stirling City 1979 Elevation: 3,520 feet  
 Legal: located in the SE 1/4 of Section 28 Township 24 North Range 4 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA  
 Architect: probably based on a USFS/CCC working plan design Plan No.: unknown  
 Building type: Storage Shed Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-5</u>
2. Integrity/Building Location:	2 <u>-5</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>0</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: USFS & CCC	9 <u>10</u>
10. Surviving Number (rarity): see below	10 <u>0</u>
11. Date of Construction: 1938	11 <u>10</u>
Total:	T <u>12</u>

**Comments:**

This outbuilding does not have a permanent foundation. Generic ancillary buildings are not scored for rarity.

### CDF BUILDING RATING SHEET

Site Name: Whitmore Forest Fire Station Building: State Residence  
 Ranger Unit: Shasta-Trinity Evaluator: Mark V. Thornton  
 County: Shasta Date: November 1994  
 Quad: Whitmore 1986 Elevation: 2,330 feet  
 Legal: located in the NW 1/4 of Section 17 Township 32 North Range 1 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA  
 Architect: probably based on USFS/CCC working plans Plan No.: unknown  
 Building type: Barracks Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-5</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>0</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CCC & CDF	9 <u>10</u>
10. Surviving Number (rarity): see below	10 <u>0</u>
11. Date of Construction: 1935	11 <u>10</u>
Total:	T <u>17</u>

**Comments:**

This site was originally a Civilian Conservation Corps camp. The S-5 Form reports that the subject building was "converted from 'Fowler' type barrack in 1946." C. Raymond Clar's book, *California Government and Forestry-II: during the Young and Rolph administrations*, reports that Deputy State Forester Oliver E. Fowler was to "generally manage the [CDF's] CCC activities." Perhaps the S-5 Form entry indicates a connection between Fowler and this particular style of building. The building's footprint of 25' x 41' matches that of several other barracks buildings still in the CDF building collection that date from the CCC era. The Whitmore building was remodeled at the time of conversion to a residence but has undergone few changes since then.

### CDF BUILDING RATING SHEET

Site Name: Whitmore Forest Fire Station Building: Office  
 Ranger Unit: Shasta-Trinity Evaluator: Mark V. Thornton  
 County: Shasta Date: November 1994  
 Quad: Whitmore 1986 Elevation: 2,330 feet  
 Legal: located in the NW 1/4 of Section 17 Township 32 North Range 1 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA  
 Architect: U.S. Forest Service - CCC construction program Plan No.: USFS "F-1" series  
 Building type: Office Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>0</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>0</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDF & CCC	9 <u>10</u>
10. Surviving Number (rarity): 2	10 <u>4</u>
11. Date of Construction: 1935	11 <u>10</u>
Total:	T <u>26</u>

**Comments:**

This site was originally commissioned as a Civilian Conservation Corps camp. The building is based on the USFS-CCC "F-1" office plan. Only two of these design types were found in the present CDF building inventory. The other office, located at the Mariposa Ranger Unit Headquarters, has been enlarged since its original construction. Not only is the Whitmore building the best example of the "F-1" design type, it is also one of the best surviving CCC era offices left in the CDF collection, regardless of design series.



### CDF BUILDING RATING SHEET

Site Name: Whitmore Forest Fire Station Building: State Residence  
 Ranger Unit: Shasta-Trinity Evaluator: Mark V. Thornton  
 County: Shasta Date: November 1994  
 Quad: Whitmore 1986 Elevation: 2,330 feet  
 Legal: located in the NW 1/4 of Section 17 Township 32 North Range 1 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA  
 Architect: probably based on USFS - CCC construction plans Plan No.: unknown  
 Building type: Residence Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-5</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>2</u>
7. Aesthetics/Natural Setting:	7 <u>0</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CDF & CCC	9 <u>10</u>
10. Surviving Number (rarity): 1	10 <u>5</u>
11. Date of Construction: 1935	11 <u>10</u>
Total:	T <u>22</u>

**Comments:**

The house was built by the CCC and no doubt is based on one of the standardized USFS-CCC building designs. The building has been remodeled and small room additions are located on the rear elevation. The house is considered an important contributing resource, along with the associated barracks-residence, to the neighboring office.

### CDF BUILDING RATING SHEET

Site Name: Whitmore Forest Fire Station Building: Redwood Water Tank  
 Ranger Unit: Shasta-Trinity Evaluator: Mark V. Thornton  
 County: Shasta Date: November 1994  
 Quad: Inwood 1985 Elevation: 2,430 feet  
 Legal: located in the NE 1/4 of Section 19 Township 32 North Range 1 East MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA  
 Architect: unknown Plan No.: unknown  
 Building type: Redwood Water Tank Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-5</u>
2. Integrity/Building Location:	2 <u>0</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>0</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>0</u>
7. Aesthetics/Natural Setting:	7 <u>2</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: CCC & CDF	9 <u>10</u>
10. Surviving Number (rarity): unknown	10 <u>0</u>
11. Date of Construction: 1935	11 <u>10</u>
Total:	T <u>17</u>

**Comments:**

The 10,000 gallon redwood water tank is 16 feet in diameter. The top of the tank burned off down to the high water line in 1968 as a result of the Morelli Fire. The structure still reflects its historic character.

# CDF BUILDING RATING SHEET

Site Name: Yreka Ranger Unit Headquarters Building: Combination Barracks  
 Ranger Unit: Siskiyou Evaluator: Mark V. Thornton  
 County: Siskiyou Date: November 1994  
 Quad: Yreka (1954) Elevation: 2,700 feet  
 Legal: located in the S 1/2 of Section 34 Township 45 North Range 7 West MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA; remod CDF/cont.  
 Architect: USFS - CCC construction program, revisions: CDF Plan No.: USFS "D-10" plans  
 Building type: Combination Barracks Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-10</u>
2. Integrity/Building Location:	2 <u>-5</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>-4</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>0</u>
7. Aesthetics/Natural Setting:	7 <u>-3</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: WPA & CDF	9 <u>10</u>
10. Surviving Number (rarity): 6	10 <u>0</u>
11. Date of Construction: 1938	11 <u>10</u>
Total:	T <u>-2</u>

## Comments:

The CDF building collection includes six USFS-CCC "D-10" CCC era buildings types. The Yreka combination barracks original section is also a D-10 but has been so modified that it is not included in the population count. No rarity score has been assigned. The combination barracks was originally located at the nearby Siskiyou County fairgrounds. It was enlarged in 1948 by CDF. It was moved to its present location in 1953, remodeled and subsequently enlarged again (reference CDF Plan AA-160). Another addition was constructed circa 1959 (reference CDF Plan AA-160). The building has undergone subsequent remodeling.

# CDF BUILDING RATING SHEET

Site Name: Yreka Ranger Unit Headquarters Building: Office  
 Ranger Unit: Siskiyou Evaluator: Mark V. Thornton  
 County: Siskiyou Date: November 1994  
 Quad: Yreka (1954) Elevation: 2,700 feet  
 Legal: located in the S 1/2 of Section 34 Township 45 North Range 7 West MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA; remod CDF/cont.  
 Architect: USFS - CCC construction program, revisions: CDF Plan No.: USFS "E" planning series  
 Building type: Office Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-5</u>
2. Integrity/Building Location:	2 <u>-5</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>-4</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>0</u>
7. Aesthetics/Natural Setting:	7 <u>-3</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: WPA & CDF	9 <u>10</u>
10. Surviving Number (rarity): 1	10 <u>5</u>
11. Date of Construction: 1938	11 <u>10</u>
Total:	T <u>8</u>

## Comments:

The S-5 Form for this site indicates that this was originally a 21' x 33' building. It had a gable side front entry with full width covered front porch. It was probably based on a variation of the USFS-CCC "E-10" design. The office was enlarged by CDF after being moved to the present site from the county fairgrounds in 1953. Subsequent remodeling has taken place but the front facade still retains a degree of similarity to the original building. Most of the CCC era office buildings have undergone more radical alterations. This is considered an important cultural resource.

### CDF BUILDING RATING SHEET

Site Name: Yreka Ranger Unit Headquarters Building: 8-Bay Truck Garage  
 Ranger Unit: Siskiyou Evaluator: Mark V. Thornton  
 County: Siskiyou Date: November 1994  
 Quad: Yreka (1954) Elevation: 2,700 feet  
 Legal: located in the S 1/2 of Section 34 Township 45 North Range 7 West MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA; remod CDF/cont.  
 Architect: USFS - CCC construction program, revisions: CDF Plan No.: USFS "N" series  
 Building type: 6-Bay Garage later enlarged to 8-Bay with storage Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-5</u>
2. Integrity/Building Location:	2 <u>-5</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>-4</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>0</u>
7. Aesthetics/Natural Setting:	7 <u>-3</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: WPA & CDF	9 <u>10</u>
10. Surviving Number (rarity): see below	10 <u>0</u>
11. Date of Construction: 1938	11 <u>10</u>
Total:	T <u>3</u>

**Comments:**

Only one 32' x 65' six bay truck garage has survived relatively intact down to today. The Yreka building is not counted in the rarity score because of its loss of historic architectural integrity. It was originally a 32' x 65' six stall truck garage. In 1946 CDF enlarged it to a 32' x 119' building. It was relocated from the Siskiyou County Fairgrounds to the present site in 1953. The building was remodeled again circa 1968 (reference CDF Plan 626). It still has a degree of historic character and is considered an important cultural resource.

### CDF BUILDING RATING SHEET

Site Name: Yreka Ranger Unit Headquarters Building: Gas & Oil House  
 Ranger Unit: Siskiyou Evaluator: Mark V. Thornton  
 County: Siskiyou Date: November 1994  
 Quad: Yreka (1954) Elevation: 2,700 feet  
 Legal: located in the S 1/2 of Section 34 Township 45 North Range 7 West MDB&M  
 Ownership: California Department of Forestry and Fire Protection Builder: CCC/WPA; remod CDF/cont.  
 Architect: probably based on revised USFS/CCC construction plans Plan No.: USFS "R" planning series  
 Building type: Gas & Oil House Infrastructure type: wood frame

	POINTS
1. Integrity/Building Design:	1 <u>-5</u>
2. Integrity/Building Location:	2 <u>-5</u>
3. Integrity/Building Aesthetics:	3 <u>0</u>
4. Special Features, Building:	4 <u>0</u>
5. Integrity of Setting:	5 <u>-4</u>
6. Integrity/Associated Buildings/Equipment:	6 <u>0</u>
7. Aesthetics/Natural Setting:	7 <u>-3</u>
8. Special Features, Site:	8 <u>0</u>
9. Association: WPA & CDF	9 <u>10</u>
10. Surviving Number (rarity): see below	10 <u>0</u>
11. Date of Construction: 1941	11 <u>10</u>
Total:	T <u>3</u>

**Comments:**

The building is larger than the standard CCC era gas and oil house plans, probably reflecting changes done at the time it was relocated to the present site from the neighboring county fairgrounds. The building has undergone subsequent remodeling. It has not been given a rarity rating because of the alterations.